


Reliable Connections for PEX Plumbing Systems



Connections and assembly solutions,
trusted by professionals.



Oetiker Connections and Assembly Solutions for PEX Plumbing Systems



PEX Plumbing systems require reliable, easy to install connecting solutions. Oetiker provides customers with the peace of mind that their PEX Plumbing systems will be quickly and efficiently installed. By combining the highest-rated PEX clamp with our uniquely engineered tools, Oetiker PEX Plumbing systems works together to save you time, labor and costs.

Pioneering reliable fastening components for over 80 years, Oetiker designs, tests and delivers high quality connecting and assembly solutions that are simpler, smarter and stronger than ever before. We are the trusted, long-term partner for industrial companies worldwide.






PEX PLUMBING CONNECTIONS

StepLess® Ear Clamps 167 PEXGrip® Series



Stainless Steel 304

- Patented pre-crimp design prevents clamp from sliding for easy installation
- Requires only one installation tool for all clamp sizes
- Clamp Ear designed for Oetiker Tool Jaw compatibility
- Provides a 360° leak-free seal
- Tamper-resistant design



ASTM F2098 for use with ASTM F1807 or F2159 insert fittings, ASTM F876 PEX tubing and ASTM F877 PEX systems.

Item no.	Clamp Size (mm)	PEX Tube (in)	Band width x thickness (mm)
16708503	13.3	3/8	7.0 x 0.6
16707872	17.5	1/2	7.0 x 0.8
16708504	20.8	5/8	7.0 x 0.8
16707955	23.3	3/4	9.0 x 0.8
16708152	29.6	1	10.0 x 1.0

LISTINGS AND CERTIFICATIONS:

Oetiker Standard PEX and PEXGrip Clamps meet ASTM F2098 and ASTM F877 standards and are NSF/ANSI 14 certified.



- ASTM F2098:** Standard Specification for Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) to Metal Insert and Plastic Insert Fittings
- ASTM F877:** Standard Specification for Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems
- NSF/ANSI 14:** Plastics Piping System Components and Related Materials

StepLess® Ear Clamps 167 Standard PEX Series



Stainless Steel 304

- Provides a 360° leak-free seal
- Tamper-resistant design
- Requires only one installation tool for all clamp sizes



ASTM F2098 for use with ASTM F1807 or F2159 insert fittings, ASTM F876 PEX tubing and ASTM F877 PEX systems.

Item no.	Clamp Size (mm)	PEX Tube (in)	Band width x thickness (mm)
16703334	13.3	3/8	7.0 x 0.6
16703335	17.5	1/2	7.0 x 0.8
16705571	20.8	5/8	7.0 x 0.8
16703336	23.3	3/4	9.0 x 0.8
16704150	29.6	1	10.0 x 1.0

Please **contact** an Oetiker representative for a complete range of product options.

ONE TOOL FOR ALL SIZES

The Oetiker 3-handle ratchet pincer crimps all PEXGrip® and Standard PEX clamp sizes, saving time and money on installations.



With the Oetiker 3-handle ratchet pincer tool, the third handle feature easily starts the ratchet action.

ASSEMBLY TOOLS



3-Handle Ratchet Pincer

Oetiker HIP 7000 | 280
Item no. 14100280

Patented

- The only manual tool recommended for closing genuine Oetiker PEX clamps
- Single handed installation
- Third handle makes crimping easier, reduces hand strain
- Lightweight for easy handling
- Can be calibrated (GO/NO-GO gauge included)



2-Handle Ratchet Pincer

Oetiker HIP 7000 | 069
Item no. 14100069

Patented

- The only manual tool recommended for closing genuine Oetiker PEX clamps
- Single handed installation
- Lightweight for easy handling
- Can be calibrated (GO/NO-GO gauge included)



Cordless Clamp Pincer

Oetiker CP20

- Efficient, uniform and repeatable assembly
- Lightweight, ergonomic design



Pneumatic Clamp Pincer

Oetiker HO ME 5000/7000

- Installation tool with high process reliability
- High-quality, complete pincer system for uniform clamp closures

DISASSEMBLY TOOLS & CUTTERS



Hand Clamp Cutter

Oetiker HCC 2000 | 519
Item no. 14100519

- For cutting PEX clamps: 3/8" - 1/2" - 5/8" - 3/4" use only
- Clear vision on application
- Straight soft grip handles
- Quick and easy ear clamp cutting



Pro Spec Hand Tube Cutter

Oetiker HTC 500 | 504
Item no. 14100504

- Cutting of PEX, PE-RT, Poly tubing, HDPE up to 1"
- Replaceable V-shaped blade. Item no. 14100506
- Blade safely stores in jaws when locked
- Soft molded, spring loaded handles
- Thumb actuated lock



Radial Hand Tubing Cutter

Oetiker HTC 5000 | 418
Item no. 14100418

- Cuts PEX pipe up to 1"
- Provides square cut with 1 1/2 to 2 rotations - no need to debur
- Compact tool - only 4 1/4" long

For more information on how to operate the installation pincers, scan here.



Please **contact** an Oetiker representative for a complete range of product options.

360° solution approach

Driving innovation

Oetiker helps customers drive innovation through all phases of development by utilizing our 360° solution approach.

